WO 2005/008412 PCT/US2004/022150

CLAIMS

What is claimed is:

- 1. An apparatus comprising:
 - a body;

10

15

- 5 a keyboard upon said body; and
 - a detection mechanism to determine which of a user's terminating hand members, used to operate said keyboard, is being utilized to activate a key on said keyboard at an instance in time, said detection mechanism being equipped to monitor movement of at least a portion of at least one of a user's two hands.
 - 2. The apparatus of claim 1 wherein said detection mechanism comprises a camera.
 - 3. The apparatus of claim 2 wherein said detection mechanism further comprises logic to temporally analyze a plurality of images from said camera, said images including positions of said user's terminating hand.
 - 4. The apparatus of claim 2 wherein said camera is integrated with said body.
 - 5. The apparatus of claim 1 wherein said detection mechanism includes at least one terminating hand member sensor.
- The apparatus of claim 5 wherein said terminating hand member sensor is
 equipped to detect when a corresponding terminating hand member is in a non-use position.
 - 7. The apparatus of claim 1 wherein said detection mechanism comprises at least one pressure sensor.
- 8. The apparatus of claim 1 wherein said at least one pressure sensor comprises a sensor to detect pressure on a side of said body, said side corresponding to said determined terminating hand member.
 - 9. The apparatus of claim 1 wherein said detection mechanism comprises at least one motion detector.

WO 2005/008412 PCT/US2004/022150

10. The apparatus of claim 9 wherein said motion detector is to detect motions associated with a key activation.

- 11. The apparatus of claim 1 wherein the apparatus is a selected one of a wireless mobile phone and a personal digital assistant.
- 5 12. An apparatus comprising:
 - a body;

10

20

- a keyboard upon said body; and
- a camera to monitor movement of a user's terminating hand members with respect to said keyboard, said monitoring of movement to provide an indicia of which of said user's terminating hand members is being used to activate a key of said keyboard.
- 13. The apparatus of claim 12 wherein said monitoring of movement comprises temporally analyzing a plurality of images from said camera, said images including positions of said user's terminating hand members.
- 15 14. An apparatus comprising:
 - a body;
 - a keyboard upon said body; and
 - at least one pressure sensor to monitor movement of a user's terminating hand members with respect to said keyboard, said monitoring of movement to provide an indicia of which of said user's terminating hand members is being used to activate a key of said keyboard.
 - 15. The apparatus of claim 14 wherein said at least one pressure sensor comprises a sensor to detect pressure on a side of said body.
- 16. The apparatus of claim 15 wherein said side corresponds to said determined terminating hand member.
 - 17. An apparatus comprising:
 - a body;
 - a keyboard upon said body; and

WO 2005/008412 PCT/US2004/022150

a motion sensor to monitor movement of said body, said monitoring of movement to provide an indicia of which of said user's terminating hand members is being used to activate a key of said keyboard.

- 18. The apparatus of claim 17 wherein said motion sensor is a MicroElectroMechanical Systems (MEMS) device.
- 19.In an electronic device comprising a keyboard and having a plurality of input keys, at least one key having associated with it two character values, a method comprising:
 - determining which of a plurality of terminating hand members is being used to activate a key; and
 - assigning a first character value to an activation of said key, based at least in part upon said determination.
- 20. The method of claim 19 further comprising:

5

10

15

20

- assigning a second character value to said activation of said key, wherein said activation occurs after delay time from said determining.
- 21. The method of claim 19 wherein said determining comprises monitoring movement of at least a portion of at least one of a user's two hands.
- 22. The method of claim 19 wherein said determining comprises temporally analyzing a plurality of images, said images including positions of said user's terminating hand members.